



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated).

ALGERIA—*Algiers*.—Month of September, 1910. Population, 157,000. Total number of deaths from all causes 264, including typhoid fever 3, diphtheria 1, tuberculosis 39.

Bona.—Month of September, 1910. Population, 42,000. Total number of deaths from all causes 69, including typhus fever 1, typhoid fever 3, scarlet fever 1, tuberculosis 10.

ARGENTINA—*Buenos Aires*.—Month of July, 1910. Population, 1,272,124. Total number of deaths from all causes 1,801, including typhoid fever 12, smallpox 46, measles 8, scarlet fever 2, diphtheria 18, tuberculosis 187.

BAVARIA—*Munich*.—Month of July, 1910. Population, 576,000. Total number of deaths from all causes 730, including measles 14, scarlet fever 3, diphtheria 3, tuberculosis 106. Month of August, 1910. Total number of deaths 769, including typhoid fever 1, measles 8, scarlet fever 4, diphtheria 5, tuberculosis 115.

BERMUDA—*Hamilton*.—Two weeks ended October 10, 1910. Population, 20,216. Total number of deaths from all causes 8. No deaths from contagious diseases.

CANADA—*Vancouver*.—Month of September, 1910. Population, 78,900. Total number of deaths from all causes 86, including typhoid fever 6, diphtheria 1, tuberculosis 7.

FRANCE—*Marseille*.—Month of September, 1910. Population, 517,498. Total number of deaths from all causes 708, including typhoid fever 43, measles 3, scarlet fever 1, tuberculosis 107, cholera, imported, 1.

St. Etienne.—Two weeks ended September 30, 1910. Population, 150,000. Total number of deaths from all causes 90, including typhoid fever 1, tuberculosis 14.

GREAT BRITAIN.—Week ended September 10, 1910.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 11.7 per 1,000 of the population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 15.1 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Clonmel, viz, 5.1, and the highest at Dundalk, viz, 27.9 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 13 per 1,000 of the population, which is estimated at 1,865,571. The lowest rate was recorded at Leith, viz, 12, and the highest at Dundee, viz, 15.3 per 1,000. The total number of deaths from all causes was 473, including typhoid fever 1, measles 1, scarlet fever 3, diphtheria 5.

GREECE—*Patras*.—Two weeks ended September 30, 1910. Population, 40,000. Total number of deaths from all causes, 18; including typhoid fever 2, tuberculosis 3.

ITALY—*Genoa*.—Two weeks ended September 30, 1910. Population, 279,163. Total number of deaths from all causes 154, including typhoid fever 7, measles 3, tuberculosis 40.

JAMAICA—*Kingston*.—Month of September, 1910. Population, 53,053. Total number of deaths from all causes 124, including tuberculosis, pulmonary, 14.

MALTA.—Two weeks ended September 24, 1910. Population, 215,879. Total number of deaths from all causes, 190, including typhoid fever 3, diphtheria 1, tuberculosis 7.

RUSSIA—*Riga*.—Month of July, 1910. Population, 350,000. Total number of deaths from all causes 766, including typhus fever 4, typhoid fever 8, smallpox 56, measles 3, scarlet fever 47, diphtheria 16, cholera 1.

SOUTH AFRICA—*Johannesburg*.—Four weeks ended September 17, 1910. Population, 180,687. Total number of deaths from all causes 401, including typhoid fever 13, measles 24, scarlet fever 2, diphtheria 3, tuberculosis 48.

SPAIN—*Almeria*.—Month of September, 1910. Population, 50,910. Total number of deaths from all causes 82, including typhoid fever 1, measles 2, tuberculosis 7.

Huelva.—Month of August, 1910. Population, 24,000. Total number of deaths from all causes 59, including typhoid fever 1, diphtheria 1, tuberculosis 6.

Seville.—Month of September, 1910. Population, 154,315. Total number of deaths from all causes 360, including typhoid fever 7, smallpox 1, scarlet fever 5, diphtheria 6, tuberculosis 69.

TASMANIA—*Hobart*.—Month of August, 1910. Population, 183,387. Total number of deaths from all causes 202, including diphtheria 3.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.